





Palice - specifikacija

poz	oblika in mere [cm]	Ø	dolžina [m]	n [kos]	dolžina*n [m]	teža [kg]
Nosilec prehodne plošče od osi 3 do osi I (1 kos)						
455		25	4.84	180	871.20	3354.12
457		14	1.45	724	1049.80	1270.26
458		25	4.84	28	135.52	521.75
459	1200	25	12.00	36	432.00	1663.20
460	810	25	8.10	6	48.60	187.11
461	520	25	5.20	6	31.20	120.12
465	108	14	1.08	45	48.60	58.81
466	963	25	9.63	12	115.56	444.91
467	300	14	3.00	3	9.00	10.89
Nosilec prehodne plošče od osi B do osi D (1 kos)						
475		12	3.10	160	496.00	440.45
476	1200	20	12.00	11	132.00	326.04
477	589	20	5.89	4	23.56	58.19
478	1000	20	10.00	3	30.00	74.10
479	1200	12	12.00	2	24.00	21.31
480	469	12	4.69	1	4.69	4.16
481	789	20	7.89	3	23.67	58.46

Palice - izvlaček

Ø [mm]	lgn [m]	Teža enote [kg/m']	Teža [kg]
S500			
8	0.00	0.40	0.00
10	0.00	0.62	0.00
12	524.69	0.89	465.92
14	1107.40	1.21	1339.95
16	0.00	1.58	0.00
20	209.23	2.47	516.80
24	0.00	3.55	0.00
25	1634.08	3.85	6291.21
26	0.00	4.17	0.00
32	0.00	6.31	0.00
Skupaj (S500)			8613.88
S355			
52	0.00	15.41	0.00
Skupaj (S355)			0.00
Skupaj			8613.88

Mreže - izvleček

Oznaka mreže	B [cm]	L [cm]	n	Teža enote [kg/m2]	Skupna teža [kg]
Q-503	179	159	4	7.90	90.06
Skupaj					90.06