


OZNAKA	PREMER (cm)	DOLŽINA (cm)	TOKOVNA OBREMNITEV (A) (temperatura od 5° - 70° C)	TOKOVNA OBREMNITEV (A) (temperatura od 0° - 5° C)
<b>ZEMLJIŠČE (S KARBONSKIM POLNILOM)</b>				
FW/ST 2.5/50	2.5	50	4	2
FW/ST 2.5/100	2.5	100	8	4
FW/ST 1.6/50	1.6	50	2.5	1.25
FW/ST 1.6/100	1.6	100	5	2.5
<b>SLADKA VODA</b>				
FW/ST 2.5/50	2.5	50	4	2
FW/ST 2.5/100	2.5	100	8	4
FW/ST 1.6/50	1.6	50	2.5	1.25
FW/ST 1.6/100	1.6	100	5	2.5
<b>SLANKASTA VODA</b>				
FW/ST 2.5/50	2.5	50	4 ÷ 12	2 ÷ 6
FW/ST 2.5/100	2.5	100	8 ÷ 24	4 ÷ 12
FW/ST 1.6/50	1.6	50	2.5 ÷ 7.5	1.25 ÷ 3.75
FW/ST 1.6/100	1.6	100	5 ÷ 15	2.5 ÷ 7.5
<b>MORSKA VODA</b>				
SWT 2.5/50	2.5	50	25	5
SWT 2.5/100	2.5	100	50	10
SWT 1.6/50	1.6	50	15	3
SWT 1.6/100	1.6	100	30	6
<b>MOČVIRJE - BLATO</b>				
MT/ST 2.5/50	2.5	50	2 - 4	1.5
MT/ST 2.5/100	2.5	100	4 - 8	3

### ENOJNI SESTAVNI ELEMENT



### SESTAVA VEČ ELEMENTOV

