AS ONE, WE CAN.

ONE


OCEAN NETWORK EXPRESS



As agent for Ocean Network Express Pte. Ltd.

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Company Profile



Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Global Head Office – Singapore







Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Slovenian Agent

CENTRALOG

KOPER

Centralog d.o.o. Slovenia

Ferrarska 30, SI-6000 Koper


Phone number: +386 5610 6000

DEPARTMENT	SUBDIVISION	CONTACT	
Customer Services	Export	ln.sikop@centralog.com	+386 5610 6000
	Import	ln.sikop@centralog.com	+386 5610 6000
	New Booking	ln.sikop@centralog.com	+386 5610 6000
Documentation		doc.ln.sikop@centralog.com	+386 5610 6000
General Enquiries		ln.sikop@centralog.com	+386 5610 6000
Invoice Queries		fi.sikop@centralog.com	+386 5610 6000
Operations		ops.ln.sikop@centralog.com	+386 5610 6000
Sales		sal.ln.sikop@centralog.com	+386 5610 6000

https://eua.one-line.com/standard-page/office-location

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Global Network



Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

ADRIATIC SERVICE (AD1)

Unique feeder service connecting Adriatic to Egypt, Turkey and Greece



Service Features

- High-quality Damietta-to-Koper service designed to support the reefer supply chain
- Seamless Adriatic coverage via our transshipment hubs in Damietta and Piraeus
- Reliable service with ONE-operated vessels

Port Rotation

(Terminals are subject to change)

ORIGIN	CODE	ETA	ETD	TERMINAL
KOPER	KOP	WED	THU	LUKA KOPER D.D
VENICE	VCE	FRI	SAT	VENEZIA-VENICE CONTAINER TERMINAL - VECON
ANCONA	AOI	SAT	SUN	ADRIATIC CONTAINER TERMINAL
ALIAGA	ALI	WED	THU	NEMPORT TERMINAL
PIRAEUS	PIR	THU	FRI	PIRAEUS CONTAINER TERMINAL
DAMIETTA	DAM	THU	SAT	DAMIETTA CONTAINER TERMINAL
KOPER	KOP	WED	THU	LUKA KOPER D.D

Transit Time

E/B	VCE	AOI	ALI	PIR	DAM
KOP	1	2	6	7	21
VCE	-	-	4	5	19
AOI	-	-	3	4	18
ALI	-	-	-	-	14
PIR	-	-	-	-	13

W/B	KOP	VCE	AOI	ALI	PIR
DAM	4	6	7	11	12

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

MEDITERRANEAN 1 SERVICE (MD1)

Adriatic cargo TS via Piraeus & Damietta



Service Features

- Direct service into Egypt, Greece and Eastern Mediterranean ports.
- Direct service from Eastern Mediterranean and Egypt to Singapore and Far East.

Port Rotation

(Terminals are subject to change)

ORIGIN	CODE	ETA	ETD	TERMINAL
KAOHSIUNG	KHH	SUN	MON	KAO MING CONTAINER TERMINAL (KMCT)
NINGBO	NGB	TUE	THU	NINGBO DAXIE CONTAINER TERMINAL
SHANGHAI	SHA	THU	SAT	SIPG - SHANGDONG BRANCH
SHEKOU	SHK	MON	TUE	MAWAN CONTAINER TERMINAL (MCT)
SINGAPORE	SIN	SAT	SUN	PSA SINGAPORE
DAMIETTA	DAM	WED	FRI	DCHC
PIRAEUS	PIR	WED	FRI	PIRAEUS CONTAINER TERMINAL (PCT)
ISTANBUL	IST	SAT	MON	MARPORT TERMINAL
IZMIT	IZT	TUE	WED	DPW YARIMCA
MERSIN	MER	SAT	SUN	MERSIN INTERNATIONAL PORT (MIP)
DAMIETTA	DAM	MON	WED	DCHC
SINGAPORE	SIN	SUN	TUE	PSA SINGAPORE
KAOHSIUNG	KHH	SUN	MON	KAO MING CONTAINER TERMINAL (KMCT)

Transit Time

W/B	DAM	PIR	IST	IZT	MER
KHH	44	51	54	57	61
NGB	41	48	51	54	58
SHA	39	46	49	52	56
SHK	36	43	46	49	53
SIN	31	38	41	44	48

E/B	SIN	KHH	NGB	SHA	SHK
PIR	44	51	53	55	59
IST	41	48	50	52	56
IZT	39	46	48	50	54
MER	35	42	44	46	50
DAM	32	39	41	43	47

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

INDIAN OCEAN MEDITERRANEAN SERVICE (IOM)

Adriatic cargo TS via Piraeus



Service Features

- Dedicated service connection West India, Pakistan with West, East Mediterranean ports directly.

Port Rotation

(Terminals are subject to change)

ORIGIN	CODE	ETA	ETD	TERMINAL
NHAVA SHEVA	NSA	FRI	SAT	BHARAT MUMBAI CONTAINER TERMINALS (PSA)
KARACHI	KHI	MON	MON	SOUTH ASIA PAKISTAN TERMINALS
MUNDRA	MUN	TUE	WED	ADANI INTERNATIONAL CONTAINER TERMINAL (CT3)
ALGECIRAS	ALG	MON	TUE	TOTAL TERMINAL INTERNATIONAL ALGECIRAS
VALENCIA	VLC	WED	FRI	APM TERMINALS VALENCIA
BARCELONA	BCN	SAT	SUN	APM TERMINALS BARCELONA
GENOA	GOA	MON	WED	VOLTRI TERMINAL EUROPE (VTE-PSA)
PIRAEUS	PIR	SAT	MON	PIRAEUS CONTAINER TERMINAL (PCT)
ALGECIRAS	ALG	THU	FRI	TOTAL TERMINAL INTERNATIONAL ALGECIRAS
KARACHI	KHI	THU	THU	SOUTH ASIA PAKISTAN TERMINALS
MUNDRA	MUN	FRI	SAT	ADANI INTERNATIONAL CONTAINER TERMINAL (CT3)
NHAVA SHEVA	NSA	SUN	SAT	BHARAT MUMBAI CONTAINER TERMINALS (PSA)

Transit Time


W/B	ALG	VLC	BCN	GOA	PIR
NSA	30	32	35	37	42
KHI	28	30	33	35	40
MUN	26	28	31	33	38

E/B	KHI	MUN	NSA
VLC	41	42	44
BCN	39	40	42
GOA	36	37	39
PIR	31	32	34
ALG	27	28	30

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

EAST MEDITERRANEAN AMERICA SERVICE (EMA)

Adriatic cargo TS via Piraeus



Transit Time

W/B	NYC	ORF	SAV
ISK	20	22	24
ALI	17	19	21
IST	16	18	20
PIR	13	15	17
SAL	10	12	14

E/B	ISK	ALI	IST	PIR	SAL
NYC	27	30	31	34	37
ORF	25	28	29	32	35
SAV	23	26	27	30	33

Service Features

- Fast transit time from Salerno to US East coast ports
- Offering fast direct service from Piraeus to US East coast ports
- Competitive transit times from US East coast ports to Iskenderun


Port Rotation

(Terminals are subject to change)

ORIGIN	CODE	ETA	ETD	TERMINAL
ISKENDERUN	ISK	FRI	SAT	LIMAKPORT ISKENDERUN
ALIAGA	ALI	MON	TUE	NEMPORT
ISTANBUL	IST	TUE	WED	KUMPORT
PIRAEUS	PIR	THU	FRI	PIRAEUS CONTAINER TERMINAL (PCT)
SALERNO	SAL	SUN	MON	SALERNO CONTAINER TERMINAL
NEW YORK	NYC	FRI	SAT	MAHER TERMINALS
NORFOLK	ORF	SUN	MON	NORFOLK INTERNATIONAL TERMINAL (NIT)
SAVANNAH	SAV	TUE	WED	GARDEN CITY TERMINAL (GCT)
ISKENDERUN	ISK	FRI	SAT	LIMAKPORT ISKENDERUN

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Digitalization



Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

eCommerce 1/3

ONE eCommerce Feature Overview

Planning and managing your shipment is simple, easy and convenient with ONE eCommerce. ONE eCommerce is a simple self help platform that provides you end to end digital shipping solutions. With a user friendly design, you can easily manage all shipment activities such as, instant booking and quotation, submitting VGM, cargo tracking and paying on-line. As a valued customer, we hope you will consider registering on-line with ONE and begin to take advantage of the many convenient functions available on our website ONE eCommerce

Please take a look at what we offer.

Homepage
Offers mini dashboard for real-time quick overview of shipment status , customized quick access to various eCom features and reminder tool for users.

Schedule
Dynamic point-to-point schedules and routings to choose from when scheduling a shipment. Confirm cargo cut-off date at origin and cargo availability date at destination for your guidance.

ONE QUOTE
Getting a quote for your shipment has never been faster and easier.

Rate & Tariff
View ONE basic tariff for Demurrage and Detention based on origin, destination and container/cargo type.
Use search criteria to see incurred costs for Demurrage and Detention on your shipments.
Check any Detention status by Contract number or B/L number for a selected period.

Booking
Booking Request is easier than ever in ONE. Submit new bookings, amendments and receives notification once the booking is submitted.
You can use our Booking Template to minimize entries as well.

eSI Submission & Amendment
Submit Shipping Instructions (SI) , make amendments & download Draft BLs, Sea Waybills and the non-negotiable bills.
Additionally, just like our Booking Templates, we also offer SI templates to minimize information that needs to be provided at time of SI submission.

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

eCommerce 2/3

ONE eCommerce Feature Overview

Planning and managing your shipment is simple, easy and convenient with ONE eCommerce. ONE eCommerce is a simple self help platform that provides you end to end digital shipping solutions. With a user friendly design, you can easily manage all shipment activities such as, instant booking and quotation, submitting VGM, cargo tracking and paying on-line. As a valued customer, we hope you will consider registering on-line with ONE and begin to take advantage of the many convenient functions available on our website ONE eCommerce

Please take a look at what we offer.



Shipment Overview:
Import and Export
With 24/7 visibility, users can readily access to real-time import/export shipment status and directly take to-do actions according to shipment journeys such as booking creation, submitting SI, Printing BL, Arrival Notice or Payment check



eBL
ONE eBL is a simple, swift and secure way of issuing, transfer and sign bills of lading and other trade documents electronically across partners in the supply chain.



ePayment
ONE offers online payment solutions for you to pay easily and securely.



Track & Trace
Offers the status of your cargo and estimated time of future events as well as the past events history with the container number or booking number. Have real time access to your container tracking whenever you need it.



eVGM
Online VGM submission
Batch VGM submission via excel Template.
Online inquiry for container tare weight.




My Report
Create, save and send customized reports which cover multiple aspects of your business. Choose to run a report on all available reporting criteria or tailor your report to meet your needs.
(A customer ID is necessary to use this option.)

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

eCommerce 3/3

LIVE CHAT


Live Chat for Exports, Imports & other Services




Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

One Mobile App Current Features

Classic View



Advanced View



Current version of ONE Mobile App includes the following Main features:

- ONE QUOTE
- TRACK & TRACE
- LIVE CHAT
- SERVICE MAP
- GLOBAL DIRECTORY
- VGM
- SCHEDULE ENQUIRY
- FREEDAYS + D&D

Minor features includes Corporation News, FAQ/User Guide, Language Setting & Location Settings


Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Refrigerated Cargo



Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Refrigerated Cargo – ONE Fleet



- 4th largest reefer fleet* in the world equipped with the most advanced technologies
- One of the youngest fleet (average age less than 5 years) with over 330,000 TEU; with good mix of 20ft and 40 HC Reefer containers
- Good diversity of container type and machinery to meet customers growing demand.
- All Reefer containers are International Safety Management standards (ISM) compliant
- Extensive & mandatory pre-trip inspections of Reefer container and machinery before release to customers

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Refrigerated Cargo – Key features


Expertise Where it Counts

To effectively manage the different requirements of our reefer shippers, ONE offers a full suite of container technologies, refrigeration and atmospheric controls.

Key features include:


- **Controlled atmosphere systems**
  to slow ripening and extend shelf life
- **Cold treatment protocols (COOLTemp)**
  to meet quarantine requirements without fumigation
- **Humidity control**
  between 50% and 95% to reduce moisture loss and decay
- **Fresh air ventilation automation**
  to manage CO_2 for respiring cargo
- **Ozone-based treatment**
  for added microbial protection
- **Temperature stability from –35°C to +30°C**
  with minimal deviation
- **VPSA-based gas exchange systems**
  to manage O_2 and CO_2 levels accurately

COOLXtend CA+



*VPSA=Vacuum Pressure Swing Adsorption.

COOLTemp



Fruits benefits from COOLTemp

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

CONTAINER +



What is CONTAINER+?


ONE's digital reefer monitoring system that provides near real-time condition data through a single dashboard, giving shippers visibility into their temperature-sensitive cargo anytime, anywhere.

DIGITALIZATION AS A DIFFERENTIATOR

In a cold chain where precision is everything, visibility is no longer a luxury.

Digital tools are essential for
shifting from reactive problem-solving to predictive, data-driven control.

Tools like ONE's Container+ give shippers real-time insights into temperature, humidity, airflow, power
status, and live location. But visibility is just the beginning.
The real advantage lies in using this data to
predict disruptions and cut delays throughout the supply chain. Shippers who incorporate analytics,
planning and monitoring systems into their cold chain gain more than efficiency, it's a key competitive edge.




Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

How does CONTAINER + work and why to use it?

GPS Map

See the route and container location on the map, both at sea and on land.



Full visibility at a glance

Conveniently view temperature, humidity, and atmosphere data on the graph.

Supply/return air monitoring

Closely monitor the supply and return air temperature inside the container.

Ambient temperature & humidity

Track temperature and humidity levels for a full environmental picture.

Power status

Get insights into data accuracy by tracking the reefer's active power status during its journey.

Advanced probes

Supports specialized monitoring for O_2/CO_2 (Controlled Atmosphere) and USDA probes (Cold Treatment).

Reduce cargo risk and potential losses

Identify deviations early and minimize the impact of temperature excursions.

Enable better operational and commercial decisions

Use historical shipment data to assess performance and optimize future planning.

Improve coordination across teams with a shared, trusted data source.

Expert support you can rely on

Rely on ONE's professional support team for guidance and assistance when needed.

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Non-Operating Reefers (NOR)



Container Specification Comparison

Typical Dimensions*	Standard 40'FT	40'FT High Cube	40'FT High Cube Reefer
Inside Length	12.03 m	12.03 m	11.59 kg
Inside Width	2.35 m	2.35 m	2.28 m
Inside Height	2.39 m	2.69 m	2.54 m
Door Width	2.34 m	2.34 m	2.29 m
Door Height	2.28 m	2.58 m	2.5 m
Load Capacity	67.6 m^3	76.2 m^3	67.5 m^3
Tare Weigh	3,740 kg	3,830 kg	4,520 kg
Max. Load Weight	26,740 kg	26,650 kg / 28,670 kg	29,480 kg

**Above table only illustrates typical dimensions, actual dimensions may differ based on specs type.*

NOR Preferred Partner Program Benefits

- Top quality food grade reefer containers
- Better insulation quality minimizes temperature fluctuations and moisture build up
- Immediate booking acceptance, equipment guarantee & priority loading
- Discount on ocean freight

Acceptable Commodities

Non-hazardous, odourless, carton packed goods such as:

- New electronic goods or components
- General department store merchandise
- Toys
- Books or printed materials
- Garments and textile products
- Footwear
- Packaged furniture
- Packaged foodstuff

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Refrigerated Container Specification

- Maximum space for cargo with high internal volume loadable capacity.
- Low tare weight to maximize payload.
- Equipped with latest technology for greater thermal efficiency.
- Minimal air leakage and low heat leakage to maintain set temperature.
- On board monitoring by 24 hours hot line with vessel.
- Temperature -30 to +30C/Vent/ DHU/CT/CA.

Unit Specifications

20- foot refrigerated container

Sample Specification		
Exterior	Length (mm)	6,058
	Width (mm)	2,438
	Height (mm)	2,591
Interior	Length (mm)	5,456
	Width (mm)	2,228
	Height (mm)	2,263
Internal Capacity	(m^3)	28.2
Doorway	Width (mm)	2,290
	Height (mm)	2,221
Tare Weight	(kgs)	2,910
Maximum Payload	(kgs)	27,570
Gross Weight	(kgs)	30,480

40- foot high-cube refrigerated container

Sample Specification		
Exterior	Length (mm)	12,192
	Width (mm)	2,438
	Height (mm)	2,896
Interior	Length (mm)	11,590
	Width (mm)	2,284
	Height (mm)	2,544
Internal Capacity	(m^3)	67.5
Doorway	Width (mm)	2,290
	Height (mm)	2,502
Tare Weight	(kgs)	4,520
Maximum Payload	(kgs)	29,480
Gross Weight	(kgs)	34,000

The above dimensions serve as samples only while actual container dimensions vary with different specification

Key Technical Specifications

Key Features	
TEMPERATURE RANGE	Normal Reefer: +30 Degree C to -30 Degree C PRIMELINE and MAGNUM PLUS- +35 Degree C to -35 Degree C
VENTILATION RANGE	0 to 285 CBM/H
OPERATING VOLTAGE	360-500 VOLTS/ 50-60 HERTZ
DEHUMIDIFICATION	95% to 65%
REEFER MACHINE EQUIPPED WITH ADVANCED TECHNOLOGY FOR FAST COOL DOWN	
SUPERIOR INSULATION TO MINIMIZE HEAT LEAKAGE	

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved

Thank You

www.one-line.com

Copyright © Ocean Network Express Pte. Ltd. All Rights Reserved